Technical Service Bulletin

Model:	2024+ Jeep JL (Wrangler) & JT (Gladiator)
Description:	Amplifier plate modification (For new larger power seat motor)
Part Number:	N/A
Assembly Time:	30 Minutes

Before you begin, read through these instructions fully. This installation may require specials skills and tools to complete, it may be necessary to seek a trained professional to complete this installation. Please note that MB Quart cannot assume any responsibility for damage resulting from incorrect installation.

Tools Required	
1	Metal Cutting Tool
2	Hammer, to flatten the factory bends
3	3/8” Drill Bit
4	Silver or White Marker


Amplifier Plate Modification

- Some of the 2024+Wranglers and Gladiators have a larger motor under the seat that interferes with the amps in our Stage4 kit. Follow these simple instructions to modify the plate so the amps clear the motor.



- Cut off the lower legs from the left and right of the plate.






Amplifier Plate Modification

- Flatten the long legs and the small bend across the plate with a hammer. The plate should now be flat like in the picture.




- Cut the mounting tabs off at the closest seam, like in the photo. Do not throw them away. You will use them in the next steps.






- Line up the tab you removed with the seam, like in the picture.




Amplifier Plate Modification

- Mark your plate with a white or silver marker like in the picture.



- Drill a 3/8” hole like in the picture and cut off the excess, marked by red in the picture.



- Now install the plate per the **MBQJ-STG4A-1** instruction manual and enjoy.



MBQuart.com
#MUSIC DEFINED

WARRANTY

Maxxsonics, LLC. warrants this product, to the original consumer purchaser, to be free from defects in material and workmanship for a period of one (1) year from the date of purchase. Maxxsonics, LLC. will, at it's discretion, repair or replace defective products during the warranty period. Components that prove to be defective in materials and workmanship under proper installation and use must be returned to the original authorized Maxxsonics, LLC. retailer from where it was purchased. A photocopy of the original receipt must accompany the product being returned. The costs associated with removal, re-installation, and freight are not the responsibility of Maxxsonics, LLC. This warranty is limited to defective parts and specifically excludes any incidental or consequential damages connected therewith. To view the full warranty, please visit the website.

MB Quart products are designed and engineered in the USA by

MAXXSONICS®

www.maxxsonics.com